

P29270

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Thomas STADLMAYR et al.

Appl. No. : 10/572,356

Certificate of Corrections Branch

Filed : March 16, 2006

Confirmation No. : 1141

U.S. Patent No.: 7,721,773 B2

Issued : May 25, 2010

For : **METHOD AND DEVICE FOR PRODUCTION AND
BOTTLING OF LIQUIDS ENRICHED WITH OXYGEN**

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window,
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent. The error is the fault of the Applicants as per the attached Certificate of Correction. The \$100.00 Fee for submitting the Request for COC is being submitted herewith.

On the cover page of the printed patent, in (73) On the cover page of the printed patent, at Item (73), Assignees, **Adelholzener Alpenquellen GmbH, Siegsdorf (DE); Krones Aktiengesellschaft, Neutraubling (DE)** should be --- **Krones Aktiengesellschaft, Neutraubling (DE)**---. This appears correctly in the Assignment filed on April 13, 2010, which was recorded on April 13, 2010 at Reel 024223, Frame 0666.


06/28/2010 CKH/LUK 00000003 190009 7/21773
01 FC:1800 130.00 DA

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

On the cover page of the printed patent, in (73) On the cover page of the printed patent, at Item (73), Assignees, **Adelholzener Alpenquellen GmbH, Siegsdorf (DE); Krones Aktiengesellschaft, Neutraubling (DE)** should be --- **Krones Aktiengesellschaft, Neutraubling (DE)**---

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully Submitted,
Thomas STADLMAYER et al.



Neil F. Greenblum
Reg. No. 28394

Robert W. Mueller
Reg. No. 35,043

June 10, 2010
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191